

ANGLES EQUAL			
Size mm x mm x mm	Kg/m	Size mm x mm x mm	Kg/m
20 x 20 x 3	0.88	70 x 70 x 6	6.38
25 x 25 x 3	1.11	70 x 70 x 8	8.36
25 x 25 x 5	1.77	70 x 70x 10	10.30
30 x 30 x 3	1.36	80 x 80 x 6	7.34
30 x 30 x 5	2.18	80 x 80 x 8	9.63
40 x 40 x 3	1.84	80 x 80 x 10	11.90
40 x 40 x 4	2.42	90 x 90 x 6	8.30
40 x 40 x 5	2.97	90 x 90 x 8	10.90
40 x 40 x 6	3.52	90 x 90 x 10	13.40
50 x 50 x 3	2.34	100 x 100 x 8	12.20
50 x 50 x 5	3.77	100 x 100 x 10	15.50
50 x 50 x 6	4.47	120 x 120 x 8	14.70
50 x 50 x 8	5.82	120 x 120 x 10	18.20
60 x 60 x 6	5.42	150 x 150 x 10	23.00
60 x 60 x 8	7.09	150 x 150 x 12	27.30
Stock lengths 6.1/6.3 or 12.2 metres			

ANGLES UNEQUAL			
Size mm x mm x mm	Kg/m	Size mm x mm x mm	Kg/m
40 x 25 x 4	1.910	125 x 75 x 8	12.20
50 x 40 x 5	3.53	125 x 75 x 10	15.00
75 x 50 x 6	5.65	150 x 75 x 10	17.00
75 x 50 x 8	7.39	150 x 75 x 12	20.20
100 x 50 x 6	6.903	150 x 90 x 10	18.20
100 x 65 x 7	8.77	150 x 90 x 12	21.60
100 x 75 x 8	10.60	200 x 100 x 10	23.00
100 x 75 x 10	13.00	200 x 100 x 12	27.30
Stock lengths 6.1/6.3 or 12.2 metres			

BLACK FLATS

Size mm x mm	Kg/m	Size mm x mm	Kg/m
* 10 x 3	0.241	140 x 6	6.594
* 13 x 3	0.306	150 x 6	7.065
* 16 x 3	0.377	180 x 6	8.478
20 x 3	0.471	200 x 6	9.420
25 x 3	0.589		
30 x 3	0.707	25 x 8	1.570
40 x 3	0.942	30 x 8	1.884
50 x 3	1.180	40 x 8	2.512
		50 x 8	3.140
* 13 x 5	0.510	60 x 8	3.768
20 x 5	0.785	65 x 8	4.082
25 x 5	0.981	70 x 8	4.396
30 x 5	1.178	75 x 8	4.710
40 x 5	1.570	80 x 8	5.024
50 x 5	1.963	90 x 8	5.650
60 x 5	2.355	100 x 8	6.280
80 x 5	3.140	120 x 8	7.536
100 x 5	3.925	130 x 8	8.164
130 x 5	5.102	150 x 8	9.420
150 x 5	5.888	180 x 8	11.304
		200 x 8	12.560
* 13 x 6	0.612		
16 x 6	0.754	20 x 10	1.570
20 x 6	0.942	25 x 10	1.963
25 x 6	1.178	30 x 10	2.355
30 x 6	1.413	40 x 10	3.140
40 x 6	1.884	50 x 10	3.925
50 x 6	2.355	60 x 10	4.710
60 x 6	2.826	65 x 10	5.103
65 x 6	3.062	70 x 10	45.945
70 x 6	3.297	75 x 10	5.888
75 x 6	3.533	80 x 10	6.280
80 x 6	3.768	90 x 10	7.065
90 x 6	4.239	100 x 10	7.850
100 x 6	4.710	110 x 10	8.635
120 x 6	5.652	120 x 10	9.420
130 x 6	6.123	130 x 10	10.205

* 4 metre lengths
Normally 6.1 / 6.4 metre randoms

BLACK FLATS

Size mm x mm	Kg/m	Size mm x mm	Kg/m
150 x 10	11.775	90 x 15	10.598
180 x 10	14.130	100 x 15	11.775
200 x 10	15.700	110 x 15	12.953
250 x 10	19.625	130 x 15	15.308
300 x 10	23.550	150 x 15	17.663
400 x 10	31.400	180 x 15	21.195
		200 x 15	23.550
20 x 12	1.884		
25 x 12	2.355	30 x 20	4.710
30 x 12	2.826	40 x 20	6.280
40 x 12	3.768	50 x 20	7.850
50 x 12	4.710	60 x 20	9.420
60 x 12	5.652	65 x 20	10.205
65 x 12	6.123	70 x 20	10.990
70 x 12	6.594	75 x 20	11.775
75 x 12	7.065	80 x 20	12.560
80 x 12	7.536	90 x 20	14.130
90 x 12	8.478	100 x 20	15.700
100 x 12	9.420	110 x 20	17.270
110 x 12	10.362	120 x 20	18.840
120 x 12	11.304	130 x 20	20.410
130 x 12	12.246	140 x 20	21.980
150 x 12	14.130	150 x 20	23.550
180 x 12	16.956	180 x 20	28.260
200 x 12	18.840	200 x 20	31.400
250 x 12	23.550	300 x 20	47.100
300 x 12	28.260	400 x 20	62.800
400 x 12	37.680		
		40 x 25	7.850
25 x 15	2.944	50 x 25	9.813
40 x 15	4.710	60 x 25	11.775
50 x 15	5.888	65 x 25	12.756
60 x 15	7.065	70 x 25	13.738
65 x 15	7.654	75 x 25	14.719
70 x 15	8.243	80 x 25	15.700
75 x 15	8.831	90 x 25	17.663
80 x 15	9.420	100 x 25	19.625

* 4 metre lengths
Normally 6.1 / 6.4 metre randoms

BLACK FLATS			
Size mm x mm	Kg/m	Size mm x mm	Kg/m
130 x 25	25.513	100 x 30	23.550
150 x 25	29.438		
180 x 25	35.325	50 x 40	15.700
200 x 25	39.250	60 x 40	18.840
		70 x 40	21.980
50 x 30	11.775	80 x 40	25.120
60 x 30	14.130	90 x 40	28.260
70 x 30	16.485	100 x 40	31.400
80 x 30	18.840		
90 x 30	21.195	100 x 50	39.250
* 4 metre lengths Normally 6.1 / 6.4 metre randoms			

BLACK ROUNDS			
Dia	Kg/m	Dia	Kg/m
6mm	0.222	22mm	2.984
8mm	0.395	25mm	3.853
10mm	0.617	30mm	5.549
12mm	0.888	35mm	7.553
16mm	1.578	40mm	9.865
19mm	2.224	50mm	15.410
20mm	2.466		
Normally 6.1 / 6.4 metre randoms			

BLACK SQUARES			
A/F	Kg/m	A/F	Kg/m
10mm	0.785	25mm	4.906
12mm	1.130	30mm	7.065
16mm	2.010		
20mm	3.140		
Normally 6.1 / 6.4 metre randoms			

BS 1387 STEAM TUBE H/F

Self Colour	Kg/m	Galvanised	Kg/m
3/8" N/B	0.850	3/4" N/B	1.738
1/2" N/B	1.220	1" N/B	2.684
3/4" N/B	1.580	1 1/4" N/B	3.454
1" N/B	2.440	1 1/2" N/B	3.971
1 1/4" N/B	3.140	2" N/B	5.610
1 1/2" N/B	3.610	2 1/2" N/B	7.161
2" N/B	5.100	3" N/B	9.317
2 1/2" N/B	6.510	4" N/B	13.31
3" N/B	8.470		
4" N/B	12.10		
6" N/B	19.20		

- All in 6.5 metre lengths.
- Heavy weight and screwed and socket tubes.
In self colour and galvanised available on request.
- We are also able to offer a range of cold formed and hot finished seamless tubes.

ERW TUBES CIRCULAR			
O/D		Wall	Kg/m
1/2"	x	16g	0.445
5/8"	x	16g	0.570
5/8"	x	14g	0.690
3/4"	x	16g	0.700
3/4"	x	14g	0.850
1"	x	16g	0.950
1"	x	14g	1.170
1 1/4"	x	16g	1.080
1 1/4"	x	14g	1.488
1 1/2"	x	16g	1.470
1 1/2"	x	16g Flocoat 11' lengths	1.470
2"	x	16g	1.977
3"	x	16g	2.990
4"	x	16g	4.010

All in 6.1 metre lengths, unless stated otherwise.

**ERW TUBES
SQUARE & RECTANGULAR**

A/F		Wall	Leg/m
1/2" x 1/2"	x	16g	0.580
5/8" x 5/8"	x	16g	0.692
5/8" x 5/8"	x	14g	0.827
3/4" x 3/4"	x	16g	0.690
3/4" x 3/4"	x	16g	0.910
3/4" x 3/4"	x	14g	1.900
1" x 1"	x	16g	1.120
1" x 1"	x	14g	1.520
1 1/4" x 1 1/4"	x	16g	1.560
1 1/2" x 1 1/2"	x	16g	1.880
50 x 50	x	1.5mm	2.290
1 1/2" x 3/4"	x	16g	1.340
40 x 20	x	1.5mm	1.077
50 x 25	x	1.5mm	1.810
2" x 1"	x	16g	1.812

All in 6.1 metre lengths, unless stated otherwise.

FLATTENED MESH 2440 X 1220mm SHEET						
Sheet Thickness Before Flattening	Mild Steel Mesh Reference	Mesh Size (mm) Aperture		Strand Size (mm)		Approx Weight Kg/m ²
		LW	SW	Width	Thickness	
1.00mm	0494F	14.20	4.80	1.85	0.96	3.30
1.20mm	0780F	24.40	7.10	2.40	1.15	3.64
1.20mm	0782F	24.40	7.60	2.08	1.15	3.17
1.20mm	1685F	33.50	12.50	2.34	1.15	2.47
1.20mm	1876F	43.40	18.00	2.31	1.15	1.85
1.60mm	0579F	23.10	5.80	3.20	1.50	6.27
1.60mm	0781F	24.40	7.90	2.06	1.47	4.07
1.60mm	1084F	32.80	10.90	3.18	1.50	4.41
1.60mm	1777F	43.20	17.30	3.23	1.45	3.24
1.60mm	2884F	68.80	28.70	2.82	1.45	1.88
2.00mm	3295F	77.00	32.80	3.81	1.85	2.80
2.50mm	3794F	69.90	37.10	5.49	2.15	3.97
3.00mm	1473F	42.90	14.20	4.60	2.70	8.59
3.00mm	1875F	39.10	18.30	4.72	2.75	7.55
3.00mm	2793F	77.50	27.18	6.50	2.80	7.12
4.70mm	1589F	47.00	15.50	6.60	4.30	15.23

Note on 1875F only longway of diamond on shortway of panel.

WALKWAY MESH 1220MM X 2440mm SHEET					
Mild Steel Mesh Reference	Mesh Size (mm) Aperture		Strand Size		Approx Weight Kg/M ²
	LW	SW	Width	Thickness	
1396	44.50	12.70	6.10	4.70	17.70
2396	79.40	23.80	6.35	4.70	13.82

On walkway longway of diamond across shortway of panel.

FLOOR PLATES	
Size mm x mm x mm	Kg/m
2000 x 1000 x 3 2500 x 1250	26.7
2000 x 1000 x 4.5 2500 x 1250 3000 x 1500	37.97
2000 x 1000 x 6 2500 x 1250 3000 x 1500	49.74
Large area plate available – contact sales office	

HOT ROLLED SHEET (HR4)			
Size mm x mm x mm	Kg/m	Size mm x mm x mm	Kg/m
2500 x 1000 x 1.6 2500 x 1250 3000 x 1500	12.56	2000 x 1000 x 2 2500 x 1250 3000 x 1500	15.70

COLD REDUCED SHEETS (CR4)			
Size mm x mm x mm	Kg/m	Size mm x mm x mm	Kg/m
2000 x 1000 x 1.0 2500 x 1250	7.85	2000 x 1000 x 1.6 2500 x 1250	12.56
2000 x 1000 x 1.2 2500 x 1250	9.42	2000 x 1000 x 2 2500 x 1250	15.70

GALVANISED SHEETS			
Size mm x mm x mm	Kg/m	Size mm x mm x mm	Kg/m
2000 x 1000 x 0.8 2500 x 1250	6.28	2000 x 1000 x 1.6 2500 x 1250	12.56
2000 x 1000 x 1.0 2500 x 1250	7.85	2000 x 1000 x 2.0 2500 x 1250	15.7
2000 x 1000 x 1.2 2500 x 1250	9.42	2500 x 1250 x 3.0	23.55

ZINTEC SHEETS			
Size mm x mm x mm	Kg/m	Size mm x mm x mm	Kg/m
2000 x 1000 x 1.0 2500 x 1250	7.85	2000 x 1000 x 1.6 2500 x 1250	12.56
2000 x 1000 x 1.2 2500 x 1250	9.42	2500 x 1250 x 2.0	15.7

IMPERIAL ROUND BRIGHTS

Mild Steel/EN3B/070M20/080A15	Kg/m
Round Bright MS 1/8" 3/3.5m	0.062
Round Bright MS 5/32" 3/3.5m	0.097
Round Bright MS 3/16" 3/3.5m	0.140
Round Bright MS 1/4" 3/3.5m	0.250
Round Bright MS 5/16" 3/3.5m	0.390
Round Bright MS 3/8" 3/3.5m	0.560
Round Bright MS 7/16" 3/3.5m	0.760
Round Bright MS 1/2" 3/3.5m	0.940
Round Bright MS 9/16" 3/3.5m	1.260
Round Bright MS 5/8" 6/6.5m	1.550
Round Bright MS 3/4" 6/6.5m	2.230
Round Bright MS 7/8" 3/3.5m	3.050
Round Bright MS 1" 6/6.5m	3.980
Round Bright MS 1.1/8" 3/3.5m	5.040
Round Bright MS 1.1/4" 6/6.5m	6.220
Round Bright MS 1.3/8" 3/3.5m	7.520
Round Bright MS 1.1/2" 6/6.5m	8.950
Round Bright MS 1.5/8" 3/3.5m	10.150
Round Bright MS 1.3/4" 6/6.5m	12.180
Round Bright MS 2" 6/6.5m	15.910
Round Bright MS 2.1/4" 3/3.5m	20.140
Round Bright MS 2.1/2" 3/3.5m	24.80
Round Bright MS 2.3/4" 3/3.5m	30.080
Round Bright MS 3" 3/3.5m	35.80
Round Bright MS 4" 3/3.5m	63.690

Alternative grades of rounds and mild steel bright flats and squares are available within 48 hours.

METRIC ROUND BRIGHTS	
Mild Steel/EM3B/070M20/080AIS	Kg/m
Round Bright MS 5mm 3/3.5m	0.150
Round Bright MS 6mm 3/3.5m	0.220
Round Bright MS 8mm 3/3.5m	0.400
Round Bright MS 10mm 3/3.5m	0.620
Round Bright MS 12mm 3/3.5m	0.890
Round Bright MS 14mm 3/3.5m	1.210
Round Bright MS 15mm 3/3.5m	1.390
Round Bright MS 16mm 6/6.5m	1.580
Round Bright MS 18mm 3/3.5m	2.00
Round Bright MS 20mm 6/6.5m	2.470
Round Bright MS 22mm 3/3.5m	2.980
Round Bright MS 24mm 3/3.5m	3.550
Round Bright MS 25mm 6/6.5m	3.850
Round Bright MS 30mm 3/3.5m	5.550
Round Bright MS 32mm 3/3.5m	6.310
Round Bright MS 35mm 3/3.5m	7.550
Round Bright MS 40mm 3/3.5m	9.870
Round Bright MS 45mm 3/3.5m	12.480
Round Bright MS 50mm 3/3.5m	15.140
Round Bright MS 60mm 3/3.5m	22.20
Round Bright MS 65mm 3/3.5m	26.050
Round Bright MS 70mm 3/3.5m	30.210
Round Bright MS 75mm 3/3.5m	34.680
Round Bright MS 80mm 3/3.5m	39.460
Round Bright MS 100mm 3/3.5m	61.650

Alternative grades of rounds and mild steel bright flats and squares are available within 48 hours.

MILD STEEL PLATE			
Size mm x mm x mm	Kg/m	Size mm x mm x mm	Kg/m
2000 x 1000 x 3 2500 x 1250 3000 x 1500	23.55	2000 x 1000 x 10 2500 x 1250	78.50
2000 x 1000 x 4 2500 x 1250 3000 x 1500	31.40	2000 x 1000 x 12.5 2500 x 1250	98.125
2000 x 1000 x 5 2500 x 1250 3000 x 1500	39.25	2000 x 1000 x 15 2500 x 1250	117.75
2000 x 1000 x 6 2500 x 1250 3000 x 1500	47.10	2000 x 1000 x 20 2500 x 1250	157.00
2000 x 1000 x 8 2500 x 1250	62.80	2000 x 1000 x 25 2500 x 1250	172.70

OPEN MESH FLOORING

	Weight per panel (kg)
25 x 3 41/100 6 x 1m S/C	105
25 x 3 41/100 6 x 1m Galvanised	116
25 x 5 41/100 6 x 1m S/C	171
30 x 3 41/100 6 x 1m S/C	124
30 x 5 41/100 6 x 1m S/C	202
40 x 3 41/100 6 x 1m S/C	160
40 x 5 41/100 6 x 1m S/C	263

Galvanised universal walkway clips.
Alternative bar arrangements and cut to size panels available on request.

RAISED (CONVENTIONAL) MESH 2440 X 1220mm SHEET						
Sheet Thickness	Mild Steel Mesh Reference	Mesh Size (mm) Centre to Centre		Strand Size (mm)		Approx Weight Kg.M2
		LW	SW	Width	Thickness	
1.00mm	7498	19.00	7.40	1.70	1.00	3.59
1.00mm	1198	30.50	11.70	1.60	1.00	2.17
1.20mm	0952	28.60	9.50	2.00	1.20	3.92
1.20mm	1196	30.50	11.70	2.36	1.20	3.79
1.20mm	1199	30.50	11.70	1.20	1.20	1.92
1.20mm	1798	38.00	17.00	2.36	1.20	2.57
1.20mm	2296	50.80	22.60	2.36	1.20	1.95
1.60mm	1194	30.50	11.70	2.36	1.60	5.06
1.60mm	1195	30.50	11.70	2.00	1.60	4.24
1.60mm	1795	38.00	17.00	3.00	1.60	4.57
1.60mm	2293	50.80	22.60	3.00	1.60	3.39
2.50mm	1392	30.50	12.70	4.75	2.50	14.67
2.50mm	2291	50.80	22.60	2.50	2.50	4.37
2.50mm	3998	85.70	39.00	2.60	2.50	2.59
3.00mm	1776	38.00	17.00	4.75	3.00	13.20
3.00mm	2288	50.80	22.60	3.90	3.00	8.09
3.00mm	2289	50.80	22.60	3.15	3.00	6.52
3.00mm	3492	76.20	34.00	3.60	3.00	4.97
3.00mm	3999	114.30	39.00	4.60	3.00	5.48
3.00mm	4196	85.70	41.00	3.18	3.00	3.67
3.00mm	5097	102.00	50.80	3.35	3.00	3.11
3.00mm	5095	102.00	50.80	5.03	3.00	4.66

- All standard sheet sizes are nominal and are generally oversized.
- Non standard panel sizes available on request.

REINFORCING ROUND BAR	
Size	Kg/m
T8	0.390
T10	0.880
T12	0.888
T16	1.580
T20	2.470
6/6.2m Lengths	

SQUARE HOLLOW SECTION			
Size mm x mm x mm	Kg/m	Size mm x mm x mm	Kg/m
20 x 20 x 2.0	1.12	70 x 70 x 3.0	6.13
25 x 25 x 2.0	1.43	80 x 80 x 3.0	7.22
2.5	1.74	5.0	11.70
3.0	2.04	6.0	12.70
30 x 30 x 2.5	2.14	100 x 100 x 3.0	9.20
3.0	2.51	4.0	12.00
		5.0	14.80
		6.0	17.52
40 x 40 x 2.5	2.92	120 x 120 x 5.0	18.00
3.0	3.45		
4.0	4.46		
50 x 50 x 2.5	3.71	150 x 150 x 5.0	22.70
3.0	4.39	6.0	26.95
4.0	5.72		
5.0	6.97		
60 x 60 x 3.0	5.34		
4.0	6.97		
5.0	8.54		
Standard Length 7.5m Other lengths available at request			

UNEQUAL HOLLOW SECTION			
Size mm x mm x mm	Kg/m	Size mm x mm x mm	Kg/m
50 x 25 x 2.5	2.72	90 x 50 x 3.6	7.46
3.0	3.22		
50 x 30 x 2.5	2.92	100 x 50 x 3.0	6.75
3.0	3.45	4.0	8.86
		5.0	10.90
60 x 30 x 3.0	3.90	100 x 60 x 3.6	8.59
		5.0	11.70
		6.3	14.40
60 x 40 x 3.0	4.37	120 x 60 x 3.6	9.72
4.0	5.72	5.0	13.30
		6.3	16.40
76.2 x 50.0 x 3.0	5.73	160 x 80 x 6.3	22.30
80 x 40 x 3.0	5.34		
4.0	6.97		
Standard Length 7.5m Other lengths available at request			

CIRCULAR HOLLOW SECTION			
Size mm x mm x mm	Kg/m	Size mm x mm x mm	Kg/m
26.9 x 3.0	1.77	76.1 x 3.0	5.41
33.7 x 2.5	1.92	88.9 x 3.0	6.36
3.0	2.27	5.0	10.30
42.4 x 2.5	2.46	114.3 x 3.6	9.83
3.0	2.91		
48.3 x 3.0	3.35	139.7 x 5.0	16.60
4.0	4.37		
60.3 x 3.0	4.24	168.3 x 5.0	20.10
Standard Length 7.5m Other lengths available at request			

TEE SECTION			
Size mm x mm x mm	Kg/m	Size mm x mm x mm	Kg/m
40 x 40 x 6	2.97	50 x 50 x 6	4.78
Normally 6.1 / 6.4 metre randoms			

CHANNELS				
50	x	38	x	5mm
51	x	25	x	6mm
76	x	38	x	6.70kg
100	x	50	x	10kg
125	x	65	x	15kg
150	x	75	x	18kg
150	x	90	x	24kg
180	x	75	x	20kg
180	x	90	x	26kg
200	x	75	x	23kg
200	x	90	x	30kg
230	x	75	x	26kg
230	x	90	x	33kg
260	x	75	x	28kg
260	x	90	x	35kg
300	x	90	x	41kg
300	x	100	x	46kg
Normally carried in one or more of the following (metre) lengths: 6.1 / 6.4 or 12.2				

UNIVERSAL COLUMNS

152 x 152 x 23kg
30kg
37kg

203 x 203 x 46.1kg
52kg
60kg
71kg
86kg

254 x 254 x 73.1kg
88.9kg
107.1kg
283kg

305 x 305 x 96.9kg
117.9kg
136.9kg
158.1kg
198kg
240kg
283kg

Normally carried in one or more of the following (metre) lengths: 12.2 & 14. Other lengths available on request.

UNIVERSAL BEAMS

127 x 76 x 13kg	305 x 102 x 24.8kg 28kg 33kg
152 x 89 x 16kg	305 x 127 x 37kg 41.9kg 48.1kg
178 x 102 x 19kg	305 x 165 x 40.3kg 46.1kg 54kg
203 x 102 x 23.1kg	356 x 127 x 33kg 39kg
203 x 133 x 25.1kg 30kg	356 x 171 x 45kg 51kg 57kg 67kg 67.1kg
254 x 102 x 22kg 25.2kg 28.3kg	406 x 140 x 39kg 46kg
254 x 146 x 31.1kg 37kg 43kg	406 x 178 x 54kg 60kg 67kg 74kg

Normally carried out in one or more of the following (metre) lengths: 12.2 & 14.
Other lengths available on request.

WELD MESH RANGE						
Gauge	Specification			Panels in Weight (Kilos)		
	Metric	Pitch	Wire Dia	4' x 8' 1220x2440	6' x 4' 1830x1220	6' x 3' 1830x915
6g	76.2 x 152.4	3" x 6"	4.75mm	8.65	6.53	4.90
	76.2 x 76.2	3" x 3"	4.75mm	11.37	8.57	6.43
	50.8 x 50.8	2" x 2"	4.75mm	16.80	12.65	9.49
8g	76.2 x 12.70	3" x 1/2"	X 4.00mm	26.47	19.88	14.96
	76.2 x 76.2	3" x 3"	X 4.00mm	8.06	6.08	4.56
	50.8 x 50.8	2" x 2"	X 4.00mm	11.91	8.96	6.76
	50.8 x 25.4	2" x 1"	X 4.00mm	17.69	13.30	9.98
	25.4 x 25.4	1" x 1"	X 4.00mm	22.70	17.08	12.86
10g	101.6 x 101.6	4" x 4"	X 3.00mm	3.65	2.76	2.10
	76.2 x 12.70	3" x 1/2"	X 3.00mm	15.35	11.53	8.67
	76.2 x 76.2	3" x 3"	X 3.00mm	4.53	3.42	2.58
	76.2 x 25.4	3" x 1"	X 3.00mm	8.86	6.66	5.02
	50.8 x 50.8	2" x 2"	X 3.00mm	6.69	5.04	3.80
	50.8 x 25.4	2" x 1"	X 3.00mm	9.94	7.48	5.63
	38.1 x 38.1	1 1/2" x 1 1/2"	X 3.00mm	9.10	6.72	5.10
25.4 x 25.4	1" x 1"	X 3.00mm	13.18	9.91	7.45	
12g	76.2 x 12.70	3" x 1/2"	X 2.50mm	10.49	7.88	5.91
	76.2 x 25.4	3" x 1"	X 2.50mm	6.05	4.55	3.41
	50.8 x 50.8	2" x 2"	X 2.50mm	4.57	3.44	2.60
	50.8 x 25.4	2" x 1"	X 2.50mm	6.79	5.11	3.83
	25.4 x 25.4	1" x 1"	X 2.50mm	9.01	6.77	5.10

Self colour and galvanized cut to size, available on request. For galvanized mesh add 10% to above weights.

WELD MESH RANGE					
Gauge	Specification			Panel Weight (Kilos)	
	Metric	Pitch	Wire Dia	6' x 12' 1830x3660	7' x 12' 2135x3660
6g	76.2 x 152.4	3" x 6"	4.75mm	19.07	22.16
	76.2 x 76.2	3" x 3"	4.75mm	25.18	29.29
	50.8 x 50.8	2" x 2"	4.75mm	37.39	43.52
8g	76.2 x 12.70	3" x 1/2"	X 4.00mm	59.30	69.12
	76.2 x 76.2	3" x 3"	X 4.00mm	17.85	20.76
	50.8 x 50.8	2" x 2"	X 4.00mm	26.50	30.85
	50.8 x 25.4	2" x 1"	X 4.00mm	39.49	46.00
	25.4 x 25.4	1" x 1"	X 4.00mm	50.90	59.33
10g	101.6 x 101.6	4" x 4"	X 3.00mm	8.07	9.38
	76.2 x 12.70	3" x 1/2"	X 3.00mm	34.39	40.09
	76.2 x 76.2	3" x 3"	X 3.00mm	10.04	11.68
	76.2 x 25.4	3" x 1"	X 3.00mm	19.78	23.04
	50.8 x 50.8	2" x 2"	X 3.00mm	14.91	17.37
	50.8 x 25.4	2" x 1"	X 3.00mm	22.22	25.89
	38.1 x 38.1	1 1/2" x 1 1/2"	X 3.00mm	20.20	23.60
25.4 x 25.4	1" x 1"	X 3.00mm	29.52	34.41	
12g	76.2 x 12.70	3" x 1/2"	X 2.50mm	23.48	27.37
	76.2 x 25.4	3" x 1"	X 2.50mm	13.51	15.73
	50.8 x 50.8	2" x 2"	X 2.50mm	10.18	11.85
	50.8 x 25.4	2" x 1"	X 2.50mm	15.17	17.67
	25.4 x 25.4	1" x 1"	X 2.50mm	20.15	23.49

Self colour and galvanized cut to size, available on request. For galvanized mesh add 10% to above weights.